

# **Safety Data Sheet**

OSHA format Revision Number 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name	Alkaline Potassium lodide with Azide
Other means of identification Product Code(s)	7166
UN-No	2922
Recommended use of the chemical Recommended Use	l and restrictions on use Industrial (not for food or food contact use). Use as a laboratory reagent.
Details of the supplier of the safety	data sheet
	Manufacturer Address LaMotte Company, Inc. 802 Washington Avenue P.O. Box 329 Chestertown, MD 21620 USA T 410-778-3100 F 410-778-9748
Emergency telephone number	

#### Emergency telephone number

24 Hour Emergency Number (CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

### 2. HAZARDS IDENTIFICATION

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### EMERGENCY OVERVIEW



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray.

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. IF ON SKIN (or hair):

Remove immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF SWALLOWED. Do NOT induce vomiting.

# Precautionary Statements - Storage

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Other Hazards

Harmful to aquatic life with long lasting effects

#### Unknown Acute Toxicity

15% of the mixture consists of ingredient(s) of unknown toxicity.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical name	CAS No	Weight-%
Sodium azide	26628-22-8	1.05
Potassium iodide	7681-11-0	15
Potassium hydroxide	1310-58-3	70

### **4. FIRST AID MEASURES**

First Aid Measures	
General advice	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Do not delay care and transport of a seriously injured person.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. Immediate medical attention is required.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is required. Never give anything by mouth to an unconscious person. Rinse mouth.
Self-protection of the first aider	Use personal protection recommended in Section 8. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with eyes, skin and clothing.

# **5. FIREFIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Specific hazards arising from the chemical

React vigorously and/or explosively with water.

#### Hazardous combustion products

Contact with metals may evolve flammable hydrogen gas.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	equipment and emergency procedures
Personal precautions	Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation, especially in confined areas.
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containn	nent and cleaning up
Methods for containment	Do not flush to sewer. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dispose of contents/containers in accordance with local regulations.
Methods for cleaning up	Clean contaminated surface thoroughly. After cleaning, flush away traces with water.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Do not eat, drink or smoke when using this product.
Conditions for safe storage, inclue	ding any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from<br/>heat. Store away from incompatible materials. Protect from moisture. Keep away from<br/>metals and organic halogens. Do not flush into surface water or sanitary sewer system.<br/>Keep out of the reach of children.

Incompatible Products Strong acids. Metals. Water reactive material.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium azide	Ceiling: 0.29 mg/m <sup>3</sup> NaN3	(vacated) S*	Ceiling: 0.1 ppm HN3
26628-22-8	Ceiling: 0.11 ppm Hydrazoic acid	(vacated) Ceiling: 0.1 ppm HN3	Ceiling: 0.3 mg/m <sup>3</sup> NaN3
	vapor	(vacated) Ceiling: 0.3 mg/m <sup>3</sup>	
		NaN3	
Potassium iodide	TWA: 0.01 ppm inhalable	-	Not Established
7681-11-0	fraction and vapor		
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

# Appropriate engineering controls

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Wear safety glasses with side shields (or goggles).

Skin and body protection	Wear protective gloves/protective clothing/eye protection/face protection. Nitrile rubber.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance	liquid Clear, colorless	Odor	Odorless
Property	Values	Remarks • Method	
pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	14 No information available No information available Not Applicable No information available No information available		
Other Information			
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		
10. STABILITY AND REACTIVITY			

Stability	Stable under recommended storage conditions.
Hazardous Reactions	Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Incompatible Products.
Incompatible materials	Strong acids. Metals. Water reactive material.
Hazardous decomposition products	Carbon oxides (COx). Potassium Oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### Component identification

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sodium azide	= 27 mg/kg (Rat)	= 20 mg/kg (Rabbit) = 50 mg/kg (	Not Established
26628-22-8		Rat )	
Potassium iodide	Not Established	Not Established	Not Established
7681-11-0			
Potassium hydroxide	= 284 mg/kg (Rat)	Not Established	Not Established
1310-58-3			

#### Information on toxicological effects

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium azide	Not Established	Not Established	Not Established	Not Established
26628-22-8				
Potassium iodide	Not Established	Not Established	Not Established	Not Established
7681-11-0				
Potassium hydroxide	Not Established	Not Established	Not Established	Not Established
1310-58-3				

#### **Chronic toxicity**

Prolonged exposure may cause chronic effects.

ATEmix (oral) ATEmix (dermal) 475.00 mg/kg 1,619.00 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Unknown Aquatic Toxicity 15 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sodium azide	Not Established	0.7: 96 h Lepomis macrochirus	Not Established
26628-22-8		mg/L LC50 0.8: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		5.46: 96 h Pimephales promelas	
		mg/L LC50 flow-through	
Potassium iodide 7681-11-0	Not Established	Not Established	Not Established
Potassium hydroxide	Not Established	80: 96 h Gambusia affinis mg/L	Not Established
1310-58-3		LC50 static	

### Persistence and degradability

Based on components product is expected to be poorly eliminated from water and poorly biodegradable.

#### **Bioaccumulation/Accumulation**

Some components of this material have some potential to bioaccumulate but not all have been tested. Sodium azide: When released into the soil, this material is not expected to biodegrade. When released into the soil, this material is expected to leach into groundwater. When released into the air, this material may be moderately degraded by photolysis.

Chemical name	Log Pow
Sodium azide	Not Established
26628-22-8	
Potassium iodide	Not Established
7681-11-0	
Potassium hydroxide	0.65
1310-58-3	0.83

13. DISPOSAL CONSIDERATIONS				
Disposal Methods	•	aste product or used conta the environment.	iners according to local re	gulations. Should not be
Contaminated packaging	Do not reuse	empty containers.		
Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes

Sodium azide 26628-22-8	Not Established	-	Not Established	Not Established
Potassium iodide 7681-11-0	Not Established	-	Not Established	Not Established
Potassium hydroxide 1310-58-3	Not Established	-	Not Established	Not Established

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sodium azide 26628-22-8	Not Established	P105	Not Established	Not Established
Potassium iodide 7681-11-0	Not Established	Not Established	Not Established	Not Established
Potassium hydroxide 1310-58-3	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sodium azide	Ignitable
26628-22-8	Reactive
Potassium iodide	-
7681-11-0	
Potassium hydroxide	Toxic
1310-58-3	Corrosive

# 14. TRANSPORT INFORMATION

# DOT

• •	
Proper shipping name	CORROSIVE LIQUIDS, TOXIC, NOS (Potassium hydroxide/Sodium azide solution)
UN-No	2922
Hazard Class	8
Subsidiary class	6.1
Packing group	
Reportable Quantity (RQ)	1000

# <u>IATA</u>

IATA	
Proper shipping name	CORROSIVE LIQUIDS, TOXIC, NOS (Potassium hydroxide/Sodium azide solution)
UN-No	2922
Hazard Class	8
Subsidiary class	6.1
Packing group	II
IMDG/IMO	
Proper shipping name	CORROSIVE LIQUIDS, TOXIC, NOS (Potassium hydroxide/Sodium azide solution)
UN-No	2922
Hazard Class	8
Subsidiary class	6.1
Packing group	II

# 15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies

### AICS

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Sodium azide	1.0	
26628-22-8		
Potassium iodide	Not Established	
7681-11-0		
Potassium hydroxide	Not Established	
1310-58-3		
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	

No Yes

Chronic Health Hazard	
Fire hazard	
Sudden release of pressure hazard	
Reactive Hazard	

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium azide 26628-22-8	Not Established	Not Established	Not Established	Not Established
Potassium iodide 7681-11-0	Not Established	Not Established	Not Established	Not Established
Potassium hydroxide 1310-58-3	1000 lb	Not Established	Not Established	Х

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sodium azide 26628-22-8	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Potassium iodide 7681-11-0	-	Not Established	-
Potassium hydroxide 1310-58-3	1000 lb	Not Established	RQ 1000 lb final RQ RQ 454 kg final RQ

# **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical name	California Proposition 65	
Sodium azide	Not Established	

26628-22-8		
Potassium iodide	Not Established	
7681-11-0		
Potassium hydroxide	Not Established	
1310-58-3		

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium azide	Х	Х	Х
26628-22-8			
Potassium iodide	Not Established	Not Established	Not Established
7681-11-0			
Potassium hydroxide	Х	Х	Х
1310-58-3			

# CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

Chemical name			CPSC (Consumer Product Safety Commission) - Specially Regulated Substances					
Potassium hydroxide 1310-58-3			Banned, 16 CFR 1500.17 Add POISON to label, 16 CFR 1500.129					
16. OTHER INFORMATION								
<u>NFPA</u>	Health hazard 3	Flammability	0	Instability 0	Physical and Chemical Hazards W			
HMIS 0 3 1 Health Hazard Fire Hazard Reactivity	Health hazard 3	Flammability	0	Stability 2				
Prepared by Issuing Date <u>Disclaimer</u>		ory Affairs Departme 015	ent					

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

#### End of Safety Data Sheet